

Phantom Weightless Root Stimulating Primer

SH-01-91-12

Lightweight treatment primer that nourishes and revitalizes the scalp, shields the hair from heat damage and preps for any style.



Phantom Weightless Root Stimulating Primer

SH-01-91-12



Ingredients	INCI Nomenclature	Suppliers	% w / w
A DI-Water GreenGard™ PA	Water (Aqua) Phytic Acid, Water	---	qs 0.05
B Sucrathix VX	Microcrystalline Cellulose, Cellulose Gum, Xanthan Gum	Alchemy Ingredients	1.50
Evicare® aquatex 80	Xanthan Gum	Evident Ingredients	0.20
Zemea® Propanediol	Propanediol	DuPont Tate & Lyle Bio Products	4.00
Resplanta® Phyto Camelina MB	Camelina Sativa Seed Oil Polyglyceryl-4 Esters	Res Pharma Industriale	1.00
Sucrablend SP V2	Sucrose Stearate, Sucrose Palmitate	Alchemy Ingredients	3.00
Geleol Pellets	Glyceryl Stearate	Gattefossé	2.00
Kalcol 6098	Cetyl Alcohol	Kao Corporation	1.00
Natralipid® Meadowfoam Seed Oil	Limnanthes Alba (Meadowfoam) Seed Oil	Nature's Crops International	2.00
BergaCare FG Olive	Hydrogenated Ethylhexyl Olivat, Hydrogenated Olive Oil Unsaponifiables	Berg + Schmidt	2.00
KahlResin 6720 Shorea Robusta + Sunflower Oil	Shorea Robusta Resin, Helianthus Annuus (Sunflower) Seed Oil, Tocopherol	KahlWax	5.00
Evicare® toco mix	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	Evident Ingredients	0.10
KahlJelly 7038 Coco	Cocos Nucifera (Coconut) Oil, Olea Europaea (Olive) Fruit Oil, Rhus Verniciflua Peel Wax, Helianthus Annuus (Sunflower) Seed Wax	KahlWax	5.00
C DI-Water Amaze™ SP Polymer	Water (Aqua) Sodium Polyitaconate	---	15.00 3.00
D Biotin USP TRICOREXINA® HYDRO	Biotin Tussilago Farfara (Coltsfoot) Flower/Leaf Extract, Achillea Millefolium Extract, Cinchona Succirubra Bark Extract, Water	GfN & Selco Res Pharma Industriale	0.005 5.00
Evicide® levanise	Sodium Levulinate, Sodium Anisate, Glycerin, Water	Evident Ingredients	3.50
			100.00

Procedure

1. Combine Phase A and heat to 70-75°C. Ensure pH is between 4-8. Adjust if necessary.
2. Add Phase B materials one at a time to Phase A while maintaining heat at 70-75°C. Once combined, homogenize for 5-10 minutes until smooth and homogeneous.
3. Begin cooling while mixing at moderate speed.
4. Combine Phase C materials until Amaze™ SP Polymer is dissolved and add mixture to batch once it has reached 40°C.
5. Add Phase D and mix well until homogeneous. Adjust pH to 5.0-5.5 with citric acid if necessary.

How To Use

On day 1, apply a dime sized amount onto damp hair and either air dry or heat style. On day 2 (or 3,4,5...), apply to refresh and restyle.



Omya Specialty Materials Inc.
5150 E. Pacific Coast Hwy, Suite 600
Long Beach, CA 90804
(562) 961-3333 | PersonalCareUS@omya.com

Innovation Comes Naturally™

Scan To Learn More

